



## AiM Infotech

### Ferrari 458 GT2

Release 1.03

---



ECU



This tutorial explains how to connect Ferrari cars to AiM devices. **1**

## 1

# Supported models

---

Supported model and years are:


- Ferrari 458 GT2 from 2011 onwards

## 2

# CAN connection

---

Ferrari 458 GT2 ECU features a bus communication protocol based on CAN on a round connector placed downstream the roll bar, left of the white cable indicated by the arrow:



Connection table is shown below.

Round connector pin	Pin function	AiM cable
3	CAN High	CAN+
4	CAN Low	CAN-

## 3

# AiM device configuration

---

Before connecting the ECU to AiM device, set this up using AiM Race Studio software. The parameters to select in the device configuration are:

- ECU manufacturer "Ferrari"
- ECU Model "458\_GT2"

## 4

# Available channels

---

Channels received by AiM devices connected to "Ferrari" "458\_GT2" protocol are.

ID	CHANNEL NAME	FUNCTION
ECU_1	F458_RPM	RPM
ECU_2	F458_SPEED	Speed
ECU_3	F458_SPEED_FL	Front left wheel speed
ECU_4	F458_SPEED_FR	Front right wheel speed
ECU_5	F458_SPEED_RL	Rear left wheel speed
ECU_6	F458_SPEED_RR	Rear right wheel speed
ECU_7	F458_TPS	Throttle position sensor
ECU_8	F458_GEAR	Engaged gear
ECU_9	F458_P_BRAKE_F	Front brake pressure
ECU_10	F458_P_BRAKE_R	Rear brake pressure
ECU_11	F458_WATER_T	Engine coolant temperature
ECU_12	F458_T_OIL	Oil temperature
ECU_13	F458_FUEL_T	Fuel temperature
ECU_14	F458_EXH_T1	Exhaust gas temperature bank 1
ECU_15	F458_EXH_T2	Exhaust gas temperature bank 2
ECU_16	F458_P_OIL	Oil pressure



ECU_17	F458_FUEL_PR	Fuel pressure
ECU_18	F458_INTK_AIRP	Intake air pressure
ECU_19	F458_BARO_PR	Barometric pressure
ECU_20	F458_MAPPOS	Map position - selected map
ECU_21	F458_TCSTAGE	Traction control stage
ECU_22	F458_LAMBDA1	Lambda 1 value
ECU_23	F458_LAMBDA2	Lambda 2 value
ECU_24	F458_STEER_ANG	Steering angle
ECU_25	F458_ACC_X	Horizontal acceleration
ECU_26	F458_ACC_Y	Vertical acceleration
ECU_27	F458_YAW_RATE	Yaw rate

**Technical note:** not all data channels outlined in the ECU template are validated for each manufacturer model or variant; some of the outlined channels are model and year specific, and therefore may not be applicable.